EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	712/24.ccls. AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:45
L2	6	mask$3 NEAR5 (next OR subsequent OR following) NEAR2 (instruction) AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:46
L3	6	field NEAR5 (next OR subsequent OR following) (instruction) AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:46
L4	1	field NEAR3 (previous OR preced$3) instruction AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:47
L5	2	"712/43".ccls. AND (subsequent OR future OR next OR later) instruction AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:47
L6	0	append$4 NEAR6 (previous OR preced$3) instruction AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:47
L7	79	field NEAR3 (previous OR preced$3) instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:47

L8	63	field NEAR9 (previous OR preced$3) (instruction OR microinstruction) NOT L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:47
L9	5	(control OR mode) NEAR8 (previous OR preced$3) (instruction OR microinstruction) NOT L7 NOT L8 AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:47
L10	0	(VLIW OR liw) NEAR15 mask $3 NEAR15 compress$3 AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:48
L11	1	(VLIW AND compress$3).ab. AND @pd>="20080922"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/18 08:48
L12	0	area minimization NEAR10 encod$3 AND @pd>="20080922"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/18 08:49
L13	6	pipelin$3 NEAR5 subsequent instruction AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:49
L14	3	early NEAr4 predicat$3 AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:49
L15	38	field NEAR4 (preced$3 OR before OR previous) NEAR4 (instruction OR operation) AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:50
L16	0	"712".clas. AND ($2compress $3 OR $2compact$3) NEAR2 (operand OR argument OR append$3) AND @pd>="20080922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/18 08:50

L18	31	("4295193" | "4439828" | "4454578" | "4502111" | "4506325" | "4847755" | "5051885" | "5051940" | "5202967" | "5203002" | "5337415").PN. OR ("5500942").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/18 08:51
L20	44	("4402044" | "4694391" | "4839649" | "4868570" | "4890249" | "5155484" | "5299519" | "5303356" | "5307173" | "5463746" | "5481364").PN. OR ("5632024").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/18 08:51
L22	88	("3694813" | "3805254" | "4064559" | "4327379" | "4371951" | "4400791" | "4433377" | "4437149" | "4464650" | "4494151" | "4545032" | "4593267" | "4644545").PN. OR ("5057837").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/18 08:52
L24	34	("4176394" | "4200927" | "4370711" | "4471433" | "4477872" | "4764861").PN. OR ("4858104").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/18 08:52
S1	8	"5027272"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 12:50
S2	357	712/24.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 13:39
S3	101	712/24.ccls. AND $2compress$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 13:40
S4	334	712/24.ccls. AND (following)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 13:49

S5	81	712/24.ccls. AND (variable NEAR3 length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:29
S6	184	mask$3 NEAR5 (next OR subsequent OR following) NEAR2 (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:33
S7	316	field NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:37
S8	187	"712".clas. AND field NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:37
S9	664	"712".clas. AND bit NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:41
S10	19	"712".clas. AND bit NEAR6 mode NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:41
S11	161	"712".clas. AND mode NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:43
S12	252	"712/43".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:45

S13	6	"712/43".ccls. AND instruction field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:47
S14	76	"712/43".ccls. AND (subsequent OR future OR next OR later) instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:48
S15	78	field NEAR3 (previous OR preced$3) instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:50
S16	34	("4176394" | "4200927" | "4370711" | "4471433" | "4477872" | "4764861").PN. OR ("4858104").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 16:54
S17	20	("4044338" | "4453212" | "4807115" | "4858105" | "4928223" | "5053631" | "5058048" | "5129067" | "5136697" | "5226126" | "5226130" | "5442760" | "5689672" | "5752259" | "5796973" | "5845102").PN. OR ("5933629").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:18
S18	5	"6009513"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:21
S19	24	("4044338" | "4453212" | "4587612" | "4807115" | "4807857" | "4858105" | "4928223" | "5053631" | "5058048" | "5129067" | "5136697" | "5226126" | "5226130" | "5299318" | "5442760" | "5623619" | "5689672" | "5752259" | "5796973" | "5845102" | "5920710").PN. OR ("6009513").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:21
S20	3	"6192468"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:24

S21	25	("4044338" | "4087857" | "4453212" | "4587612" | "4807115" | "4858105" | "4928223" | "5053631" | "5058048" | "5129067" | "5136697" | "5212693" | "5226126" | "5226130" | "5299318" | "5442760" | "5623619" | "5689672" | "5752259" | "5765007" | "5796973" | "5845102" | "5920710").PN. OR ("6192468").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:24
S22	6	append$4 NEAR6 (previous OR preced$3) instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:27
S23	62	field NEAR9 (previous OR preced$3) (instruction OR microinstruction) NOT S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:28
S24	6718	(previous OR preced$3) (instruction OR microinstruction) NOT S15 NOT S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:38
S25	359	(control OR mode) NEAR8 (previous OR preced$3) (instruction OR microinstruction) NOT S15 NOT S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:38
S26	37	(mode) NEAR8 (previous OR preced$3) (instruction OR microinstruction) NOT S15 NOT S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:39
S27	194	"712".clas. AND (control OR mode) NEAR8 (previous OR preced$3) (instruction OR microinstruction) NOT S15 NOT S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:41

S28	168	"712".clas. AND (control OR mode) NEAR8 (previous OR preced$3) (instruction OR microinstruction) NOT S15 NOT S23 NOT S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:41
S29	77	"5179680"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 08:30
S30	80	"5057837"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 08:31
S31	22	"5500942"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 09:34
S32	7	"4661925"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 10:09
S33	8	"4825356"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 10:12
S34	30	"4858104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 10:15
S35	8	"5933629"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 10:40

S36	9	"6704859"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 11:15
S37	80	"5057837"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 12:26
S38	8	(VLIW OR liw) NEAR15 mask $3 NEAR15 compress$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 15:39
S39	87	("3694813" | "3805254" | "4064559" | "4327379" | "4371951" | "4400791" | "4433377" | "4437149" | "4464650" | "4494151" | "4545032" | "4593267" | "4644545").PN. OR ("5057837").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 15:40
S40	31	(VLIW AND compress$3).ab.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 15:49
S41	4	(VLIW AND compact$3).ab.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 15:58
S42	15	"5870576"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:01
S43	131	VLIW AND decompress$3 NEAR5 decod$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:11
S44	169	VLIW AND decompress$3 NEAR15 decod$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:12
S45	18	(variable NEAR5 length OR variable-length) NEAR10 mask$3 NEAR10 instruction	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:14
S46	0	okuma.in. AND tomiyama.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:29
S47	9	area minimization NEAR10 encod$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:29
S48	187	"712".clas. AND instruction NEAR3 ($2compact$3 OR $2compress$3) NEAR10 decod$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 16:39

S49	68	"712".clas. AND program NEAR3 ($2compact$3 OR $2compress$3) NEAR10 decod$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 16:48
S50	9	"6704859"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 16:49
S51	44	("4402044" | "4694391" | "4839649" | "4868570" | "4890249" | "5155484" | "5299519" | "5303356" | "5307173" | "5463746" | "5481364").PN. OR ("5632024").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 17:00
S52	68	"712".clas. AND pipelin$3 NEAR15 ($2compact$3 OR $2compress$3) NEAR15 decod$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:34
S53	27	"712".clas. AND instruction NEAR3 ($2compact$3 OR $2compress$3) NEAR10 subsequent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:46
S55	297	"712".clas. AND (field OR parameter OR mode) NEAR3 (subsequent OR next OR following) NEAr4 instruction AND @ad<="19960515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:48
S56	21	"712".clas. AND instruction NEAR3 ($2compact$3 OR $2compress$3) NEAR10 preced$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:50
S57	22	"712".clas. AND instruction NEAR13 ($2compact$3 OR $2compress$3) NEAR10 preced$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:50

S58	182	pipelin$3 NEAR5 subsequent instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:01
S59	1	pipelin$3 NEAR5 subsequent instruction NEAR10 field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:01
S60	253	"712".clas. AND (tag) NEAR3 (subsequent OR next OR following OR future) NEAr4 instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:04
S61	0	pipelin$3 NEAR5 early predicat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:04
S62	2	early predicat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:04
S63	106	early NEAr4 predicat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:05
S64	58	field NEAR5 previous instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:05
S65	1301	field NEAR4 (preced$3 OR before OR previous) NEAR4 (instruction OR operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:12

S66	233	"712".clas. AND field NEAR4 (preced$3 OR before OR previous) NEAR4 (instruction OR operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:13
S67	0	($2compress$3 OR $2compact$3) NEAE2 (operand OR argument OR append$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 08:07
S68	4595	($2compress$3 OR $2compact$3) NEAR2 (operand OR argument OR append$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 08:07
S69	119	"712".clas. AND ($2compress$3 OR $2compact$3) NEAR2 (operand OR argument OR append$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 08:07
S70	292	712/213.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:01
S71	512	712/210.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:13
S72	16	"5852741"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:21
S73	25	"5787302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:23

S74	10	"5862398"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:24
S75	26	"5826054"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:24
S76	38	"5878267"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:27
S77	9	"6704859"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:28
S78	512	712/210.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:29

2/18/2009 8:53:35 AM
C:\Documents and Settings\kvicary\My Documents\EAST\Workspaces\10762863.wsp